



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/index.html"/>	
Modified:	Wed, 27 May 2009 15:08:12 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	3005	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/inside.html"/>	
Modified:	Wed, 27 May 2009 15:05:33 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	7978	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/anne.html"/>	
Modified:	Tue, 26 May 2009 20:04:06 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	8841	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/3.html"/>	
Modified:	Tue, 26 May 2009 20:04:06 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	8841	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/4.html"/>	
Modified:	Tue, 26 May 2009 20:56:25 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	8883	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/hobby.html"/>	
Modified:	Tue, 26 May 2009 20:59:07 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	7082	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/betrayed.html"/>	
Modified:	Tue, 26 May 2009 20:59:07 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	7082	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Validation Output](#)

Errors found while checking this document as XHTML 1.0 Strict!

Result:	70 Errors, 54 warning(s)	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/credits.html"/>	
Modified:	Tue, 26 May 2009 22:56:25 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	7199	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type



Validate error pages



Verbose Output

Clean up Markup with HTML Tidy

[Help](#) on the options is available.

Revalidate

↑ TOP

Validation Output: 70 Errors

 **Line 41, Column 58: character "<" is the first character of a delimiter but occurred as data**

...enverpost.com/headlines/ci_7397433"> < http://www.denverpost.com/headlines/ci_

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";

- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

Line 45, Column 55: cannot generate system identifier for general entity "lid"



...w.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/content

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and æ are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

Line 45, Column 55: general entity "lid" not defined and no default entity

...w.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/content

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 58: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=118&lid = 2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 45, Column 58: reference to external entity in attribute value**



...nnefrank.org/content.asp?pid=118&lid = 2">< http://www.annefrank.org/content.as


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 45, Column 58: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=118&lid = 2">< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53:** entity was defined here

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 45, Column 62:** character "<" is the first character of a delimiter but occurred as data

...rank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/content.asp?pi

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 45, Column 112:** reference not terminated by REFC delimiter

...nnefrank.org/content.asp?pid=118&lid==2 >.</p>


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 45, Column 112: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=118&lid=2 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 49, Column 81: character "<" is the first character of a delimiter but occurred as data**



...org/nazioccupation/annefrank.html">< http://www.holocaustresearchproject.org

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.


 **Line 53, Column 52: character "<" is the first character of a delimiter but occurred as data**



.../roselli.org/tour/06_2000/074.html">< http://roselli.org/tour/06_2000/074.htm

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 57, Column 58: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=327&lid = 2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 57, Column 58: reference to external entity in attribute value**



...nnefrank.org/content.asp?pid=327&lid=2">< http://www.annefrank.org/content.as


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 57, Column 58: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=327&lid=2">< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 57, Column 62: character "<" is the first character of a delimiter but occurred as data**

...rank.org/content.asp?pid=327&lid=2">< http://www.annefrank.org/content.asp?pi

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 57, Column 112: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=327&lid = 2 >.</p>


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 57, Column 112: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=327&lid = 2 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 60, Column 5: end tag for "br" omitted, but OMITTAG NO was specified**

<..._

You may have neglected to close an element, or perhaps you meant to "self-close" an element, that is, ending it with "/>" instead of ">".

 **Line 60: start tag was here**

>

 **Line 61, Column 58: reference not terminated by REFC delimiter**

...nnefrank.org/content.asp?pid=328&lid==2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 61, Column 58: reference to external entity in attribute value**



...nnefrank.org/content.asp?pid=328&lid = 2">< http://www.annefrank.org/content.as


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 61, Column 58: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=328&lid = 2">< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=11 8 &lid=2">< http://www.annefrank.org/conte

 **Line 61, Column 62: character "<" is the first character of a delimiter but occurred as data**

...rank.org/content.asp?pid=328&lid=2"> < http://www.annefrank.org/content.asp?pi

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 61, Column 112: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=328&lid = 2 >.</p>


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 61, Column 112: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=328&lid = 2 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 65, Column 106: character "<" is the first character of a delimiter but occurred as data**

27
09

...-delato-a-la-familia-de-ana-frank/">< http://mardelossargazos.wordpress.com/2

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 69, Column 54: character "<" is the first character of a delimiter but occurred as data**

27
09

...n.wikipedia.org/wiki/Schutzstaffel">< http://en.wikipedia.org/wiki/Schutzstaf

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.

- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 73, Column 57: reference not terminated by REFC delimiter**



...annefrank.org/content.asp?pid=44&lid = 2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 73, Column 57: reference to external entity in attribute value**



...annefrank.org/content.asp?pid=44&lid = 2">< http://www.annefrank.org/content.as


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 73, Column 57: reference to entity "lid" for which no system identifier could be generated**



...annefrank.org/content.asp?pid=44&lid = 2">< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 73, Column 61: character "<" is the first character of a delimiter but occurred as data**

...frank.org/content.asp?pid=44&lid=2">< http://www.annefrank.org/content.asp?pi

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 73, Column 110: reference not terminated by REFC delimiter**

...annefrank.org/content.asp?pid=44&lid==2 >.</p>

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 73, Column 110: reference to entity "lid" for which no system identifier could be**

generated



...annefrank.org/content.asp?pid=44&lid=2 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

Line 45, Column 53: entity was defined here

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

Line 77, Column 53: character "<" is the first character of a delimiter but occurred as data



...en.wikipedia.org/wiki/Bep_Voskuijl">< http://en.wikipedia.org/wiki/Bep_Voskui

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

Line 81, Column 72: character "<" is the first character of a delimiter but occurred as

data



...com/en-GB/bronnenbank.asp?oid=3081">< http://www.annefrankguide.com/en-GB/bro

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

Line 85, Column 94: character "<" is the first character of a delimiter but occurred as data



...the-helpers-and-hiders-biographies">< http://www.annefrank.org.uk/bbcdrama/ba

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

Line 89, Column 55: cannot generate system identifier for general entity "LID"

...w.annefrank.org/content.asp?PID=285&LID=2">< http://www.annefrank.org/content

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and æ are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 89, Column 55: general entity "LID" not defined and no default entity**



...w.annefrank.org/content.asp?PID=285&LID=2">< http://www.annefrank.org/content

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 89, Column 58: reference not terminated by REFC delimiter**

...nnefrank.org/content.asp?PID=285&LID==2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 89, Column 58: reference to external entity in attribute value**



...nnefrank.org/content.asp?PID=285&LID = 2" >< http://www.annefrank.org/content.as


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 89, Column 58: reference to entity "LID" for which no system identifier could be generated**



...nnefrank.org/content.asp?PID=285&LID = 2" >< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 89, Column 53: entity was defined here**

...www.annefrank.org/content.asp?PID=28 5 &LID=2" >< http://www.annefrank.org/conte

 **Line 89, Column 62: character "<" is the first character of a delimiter but occurred as data**



...rank.org/content.asp?PID=285&LID=2" > < http://www.annefrank.org/content.asp?PI

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 89, Column 112: reference not terminated by REFC delimiter**




...nnefrank.org/content.asp?PID=285&LID = 2 > .</p>

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 89, Column 112: reference to entity "LID" for which no system identifier could be generated**

...nnefrank.org/content.asp?PID=285&LID = 2 > .</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 89, Column 53: entity was defined here**

...www.annefrank.org/content.asp?PID=28 5&LID=2">< http://www.annefrank.org/conte

 **Line 93, Column 69: character "<" is the first character of a delimiter but occurred as data**

.../wiki/Auschwitz_concentration_camp"> < http://en.wikipedia.org/wiki/Auschwitz_

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 97, Column 65: character "<" is the first character of a delimiter but occurred as data**

...org/wiki/Nazi_concentration_camps"> < http://en.wikipedia.org/wiki/Nazi_conce

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<"
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 101, Column 58: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=151&lid==2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 101, Column 58: reference to external entity in attribute value**



...nnefrank.org/content.asp?pid=151&lid==2">< http://www.annefrank.org/content.as

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 101, Column 58: reference to entity "lid" for which no system identifier could be**

generated



...nnefrank.org/content.asp?pid=151&lid==2">< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

Line 45, Column 53: entity was defined here

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

Line 101, Column 62: **character "<" is the first character of a delimiter but occurred as data**



...rank.org/content.asp?pid=151&lid=2"> < http://www.annefrank.org/content.asp?pi

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 101, Column 112: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=151&lid=2 >.</p>


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 101, Column 112: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=151&lid=2 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 105, Column 53: cannot generate system identifier for general entity "pid"**

...www.annefrank.org/content.asp?lid=2&pid=139">< http://www.annefrank.org/conte

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and æ are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 105, Column 53: general entity "pid" not defined and no default entity**



...www.annefrank.org/content.asp?lid=2&pid=139">< http://www.annefrank.org/conte

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 105, Column 56: reference not terminated by REFC delimiter**

...annefrank.org/content.asp?lid=2&pid==139">< http://www.annefrank.org/content.

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 105, Column 56: reference to external entity in attribute value**



...annefrank.org/content.asp?lid=2&pid = 139">< http://www.annefrank.org/content.


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 105, Column 56: reference to entity "pid" for which no system identifier could be generated**



...annefrank.org/content.asp?lid=2&pid = 139">< http://www.annefrank.org/content.

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 105, Column 51: entity was defined here**

.../www.annefrank.org/content.asp?lid= 2 &pid=139">< http://www.annefrank.org/con

 **Line 105, Column 62: character "<" is the first character of a delimiter but occurred as data**



...rank.org/content.asp?lid=2&pid=139">< http://www.annefrank.org/content.asp?li

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 105, Column 110: reference not terminated by REFC delimiter**



...annefrank.org/content.asp?lid=2&pid = 139 >.</p>

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 105, Column 110: reference to entity "pid" for which no system identifier could be generated**

...annefrank.org/content.asp?lid=2&pid = 139 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 105, Column 51: entity was defined here**

...//www.annefrank.org/content.asp?lid=2&pid=139">< http://www.annefrank.org/con

 **Line 109, Column 58: reference not terminated by REFC delimiter**

...nnefrank.org/content.asp?pid=288&lid==2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 109, Column 58: reference to external entity in attribute value**

...nnefrank.org/content.asp?pid=288&lid==2">< http://www.annefrank.org/content.as

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 109, Column 58: reference to entity "lid" for which no system identifier could be**

generated



...nnefrank.org/content.asp?pid=288&lid==2">< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

Line 45, Column 53: entity was defined here

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

Line 109, Column 62: **character "<" is the first character of a delimiter but occurred as data**



...rank.org/content.asp?pid=288&lid=2"> < http://www.annefrank.org/content.asp?pi

This message may appear in several cases:


- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 109, Column 112: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=288&lid=2 >.</p>


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 109, Column 112: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=288&lid=2 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 113, Column 72: character "<" is the first character of a delimiter but occurred as data**

...com/en-GB/bronnenbank.asp?oid=3075">< http://www.annefrankguide.com/en-GB/bro

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.


 **Line 115, Column 12: character "&" is the first character of a delimiter but occurred as data**



```
<p>"Cinema & Theater" The Four Helpers <ins>The Official Anne Frank House websit
```

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 117, Column 10: Attribute "href" is not a valid attribute. Did you mean "nohref" or "href"?**



```
<a href= "http://www.annefrank.org/content.asp?pid=283&lid=2">< http://www.annef
```

You have used the attribute named above in your document, but the document type you are using does not support that attribute for this element. This error is often caused by incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Transitional"

document type to get the "target" attribute), or by using vendor proprietary extensions such as "marginheight" (this is usually fixed by using CSS to achieve the desired effect instead).

This error may also result if the element itself is not supported in the document type you are using, as an undefined element will have no supported attributes; in this case, see the element-undefined error message for further information.

How to fix: check the spelling and case of the element and attribute, (Remember XHTML is all lower-case) and/or check that they are both allowed in the chosen document type, and/or use CSS instead of this attribute. If you received this error when using the <embed> element to incorporate flash media in a Web page, see the [FAQ item on valid flash](#).

 **Line 117, Column 59: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=283&lid = 2">< http://www.annefrank.org/content.as

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 117, Column 59: reference to external entity in attribute value**



...nnefrank.org/content.asp?pid=283&lid = 2">< http://www.annefrank.org/content.as


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&';.

 **Line 117, Column 59: reference to entity "lid" for which no system identifier could be generated**



...nnefrank.org/content.asp?pid=283&lid=2">< http://www.annefrank.org/content.as

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 117, Column 63: character "<" is the first character of a delimiter but occurred as data**



...rank.org/content.asp?pid=283&lid=2">< http://www.annefrank.org/content.asp?pi

This message may appear in several cases:


- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 117, Column 113: reference not terminated by REFC delimiter**



...nnefrank.org/content.asp?pid=283&lid=2 >.</p>


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 117, Column 113: reference to entity "lid" for which no system identifier could be generated**




...nnefrank.org/content.asp?pid=283&lid=2 >.</p>

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 45, Column 53: entity was defined here**

...www.annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/conte

 **Line 121, Column 73: character "<" is the first character of a delimiter but occurred as data**

...om/en-US/bronnenbank.asp?oid=15900">< http://www.annefrankguide.com/en-US/bro

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 125, Column 79: character "<" is the first character of a delimiter but occurred as data**



...0/NIE/Clinging_to_the_norma.shtml" >  http://www.sptimes.com/News/040500/NIE/

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";
- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 129, Column 64: character "<" is the first character of a delimiter but occurred as data**



...rtesbaja.com/blog/TheNewYorkWebLog" >  http://www.mardecortesbaja.com/blog/The

This message may appear in several cases:

- You tried to include the "<" character in your page: you should escape it as "<";

- You used an unescaped ampersand "&": this may be valid in some contexts, but it is recommended to use "&", which is always safe.
- Another possibility is that you forgot to close quotes in a previous tag.

 **Line 41, Column 58: XML Parsing Error: StartTag: invalid element name**



...enverpost.com/headlines/ci_7397433">< http://www.denverpost.com/headlines/ci_

 **Line 45, Column 57: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/content.a

 **Line 45, Column 62: XML Parsing Error: StartTag: invalid element name**



...rank.org/content.asp?pid=118&lid=2">< http://www.annefrank.org/content.asp?pi

 **Line 45, Column > 80: XML Parsing Error: EntityRef: expecting ';'**



...sp?pid=118&lid=2">< http://www.annefrank.org/content.asp?pid=118&lid=2 >....

 **Line 49, Column > 80: XML Parsing Error: StartTag: invalid element name**



...t.org/nazioccupation/annefrank.html">< http://www.holocaustresearchproject.or...

 **Line 53, Column 52: XML Parsing Error: StartTag: invalid element name**



.../roselli.org/tour/06_2000/074.html">< http://roselli.org/tour/06_2000/074.htm

 **Line 57, Column 57: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?pid=327&lid=2">< http://www.annefrank.org/content.a

 **Line 57, Column 62: XML Parsing Error: StartTag: invalid element name**



...rank.org/content.asp?pid=327&lid=2">< http://www.annefrank.org/content.asp?pi

 **Line 57, Column > 80: XML Parsing Error: EntityRef: expecting ';'**

...sp?pid=327&lid=2">< http://www.annefrank.org/content.asp?pid=327&lid=2 >....

 **Line 61, Column 57: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?pid=328&lid=2">< http://www.annefrank.org/content.a

 **Line 61, Column 62: XML Parsing Error: StartTag: invalid element name**



...rank.org/content.asp?pid=328&lid=2">< http://www.annefrank.org/content.asp?pi

 **Line 61, Column > 80: XML Parsing Error: EntityRef: expecting ';'**



...sp?pid=328&lid=2">< http://www.annefrank.org/content.asp?pid=328&lid=2 >....

 **Line 61, Column > 80: XML Parsing Error: Opening and ending tag mismatch: br line 60 and p**



...sp?pid=328&lid=2">< http://www.annefrank.org/content.asp?pid=328&lid=2 >....

 **Line 65, Column > 80: XML Parsing Error: StartTag: invalid element name**

...com/2007/08/17/%C2%BFquien-delato-a-la-familia-de-ana-frank/">< http://mardel...

 **Line 69, Column 54: XML Parsing Error: StartTag: invalid element name**



...n.wikipedia.org/wiki/Schutzstaffel">< http://en.wikipedia.org/wiki/Schutzstaf

 **Line 73, Column 56: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?pid=44&lid=2">< http://www.annefrank.org/content.a

 **Line 73, Column 61: XML Parsing Error: StartTag: invalid element name**



...frank.org/content.asp?pid=44&lid=2">< http://www.annefrank.org/content.asp?pi

 **Line 73, Column > 80: XML Parsing Error: EntityRef: expecting ';'**



...sp?pid=44&lid=2">< http://www.annefrank.org/content.asp?pid=44&lid=2 >.<.....

 **Line 77, Column 53: XML Parsing Error: StartTag: invalid element name**

...en.wikipedia.org/wiki/Bep_Voskuijl">< http://en.wikipedia.org/wiki/Bep_Voskui

 **Line 81, Column 72: XML Parsing Error: StartTag: invalid element name**



...com/en-GB/bronnenbank.asp?oid=3081">< http://www.annefrankguide.com/en-GB/bro

 **Line 85, Column > 80: XML Parsing Error: StartTag: invalid element name**



...ma/background/the-helpers-and-hiders-biographies">< http://www.annefrank.org....

 **Line 89, Column 57: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?PID=285&LID=2">< http://www.annefrank.org/content.a

 **Line 89, Column 62: XML Parsing Error: StartTag: invalid element name**



...rank.org/content.asp?PID=285&LID=2">< http://www.annefrank.org/content.asp?PI

 **Line 89, Column > 80: XML Parsing Error: EntityRef: expecting ';'**

...sp?PID=285&LID=2">< http://www.annefrank.org/content.asp?PID=285&LID=2 >....

 **Line 93, Column 69: XML Parsing Error: StartTag: invalid element name**



.../wiki/Auschwitz_concentration_camp">< http://en.wikipedia.org/wiki/Auschwitz_

 **Line 97, Column 65: XML Parsing Error: StartTag: invalid element name**



...org/wiki/Nazi_concentration_camps">< http://en.wikipedia.org/wiki/Nazi_conce

 **Line 101, Column 57: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?pid=151&lid=2">< http://www.annefrank.org/content.a

 **Line 101, Column 62: XML Parsing Error: StartTag: invalid element name**



...rank.org/content.asp?pid=151&lid=2">< http://www.annefrank.org/content.asp?pi

 **Line 101, Column > 80: XML Parsing Error: EntityRef: expecting ';'**

...sp?pid=151&lid=2">< http://www.annefrank.org/content.asp?pid=151&lid=2 >....

 **Line 105, Column 55: XML Parsing Error: EntityRef: expecting ';'**



...w.annefrank.org/content.asp?lid=2&pid=139">< http://www.annefrank.org/content

 **Line 105, Column 62: XML Parsing Error: StartTag: invalid element name**



...rank.org/content.asp?lid=2&pid=139">< http://www.annefrank.org/content.asp?li

 **Line 105, Column > 80: XML Parsing Error: EntityRef: expecting ';'**



...sp?lid=2&pid=139">< http://www.annefrank.org/content.asp?lid=2&pid=139 >....

 **Line 109, Column 57: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?pid=288&lid=2">< http://www.annefrank.org/content.a

 **Line 109, Column 62: XML Parsing Error: StartTag: invalid element name**

...rank.org/content.asp?pid=288&lid=2">< http://www.annefrank.org/content.asp?pi

 **Line 109, Column > 80: XML Parsing Error: EntityRef: expecting ';'**



...sp?pid=288&lid=2">< http://www.annefrank.org/content.asp?pid=288&lid=2 >....

 **Line 113, Column 72: XML Parsing Error: StartTag: invalid element name**



...com/en-GB/bronnenbank.asp?oid=3075">< http://www.annefrankguide.com/en-GB/bro

 **Line 115, Column 12: XML Parsing Error: xmlParseEntityRef: no name**



<p>"Cinema & Theater" The Four Helpers <ins>The Official Anne Frank House websit

 **Line 117, Column 58: XML Parsing Error: EntityRef: expecting ';'**



...annefrank.org/content.asp?pid=283&lid=2">< http://www.annefrank.org/content.a

 **Line 117, Column 63: XML Parsing Error: StartTag: invalid element name**

...rank.org/content.asp?pid=283&lid=2">< http://www.annefrank.org/content.asp?pi

 **Line 117, Column > 80: XML Parsing Error: EntityRef: expecting ';'**



...asp?pid=283&lid=2">< http://www.annefrank.org/content.asp?pid=283&lid=2 >.</a...

 **Line 121, Column 73: XML Parsing Error: StartTag: invalid element name**



...om/en-US/bronnenbank.asp?oid=15900">< http://www.annefrankguide.com/en-US/bro

 **Line 125, Column > 80: XML Parsing Error: StartTag: invalid element name**



.../NIE/Clinging_to_the_norma.shtml"> < http://www.sptimes.com/News/040500/NIE/C...

 **Line 129, Column 64: XML Parsing Error: StartTag: invalid element name**



...rtesbaja.com/blog/TheNewYorkWebLog">< http://www.mardecortesbaja.com/blog/The

 **Line 132, Column 8: XML Parsing Error: Opening and ending tag mismatch: p line 59 and div**

</div>

 **Line 134, Column 7: XML Parsing Error: Opening and ending tag mismatch: div line 35 and body**



`</body >`

 **Line 135, Column 7: XML Parsing Error: Opening and ending tag mismatch: body line 14 and html**



`</html >`

 **Line 135, Column 7: XML Parsing Error: Premature end of data in tag html line 2**



`</html >`

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/contact.html"/>	
Modified:	Tue, 26 May 2009 20:04:06 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	8841	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://mmb315.aisites.com/imd110/reply.htm"/>	
Modified:	Tue, 26 May 2009 22:51:37 GMT	
Server:	Apache/1.3.37 (Unix) mod_perl/1.29	
Size:	1495	
Content-Type:	text/html	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	