



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/index.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type

Validate error pages

Verbose Output

Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at [<http://mbashen.aiwsites.com/imd110/index.html>](http://mbashen.aiwsites.com/imd110/index.html) was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/visitor.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type



Validate error pages



Verbose Output



Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://mbashen.aiwsites.com/imd110/index.html> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/paris.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type



Validate error pages



Verbose Output



Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at [<http://mbashen.aiwsites.com/imd110/index.html>](http://mbashen.aiwsites.com/imd110/index.html) was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/trivia.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type



Validate error pages



Verbose Output



Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://mbashen.aiwsites.com/imd110/index.html> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/museums.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type

Validate error pages

Verbose Output

Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://mbashen.aiwsites.com/imd110/index.html> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/cafes.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type



Validate error pages



Verbose Output



Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://mbashen.aiwsites.com/imd110/index.html> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/contact.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators are hosted on server technology donated by HP, and supported by community donations. [Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type

Validate error pages

Verbose Output

Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at [<http://mbashen.aiwsites.com/imd110/index.html>](http://mbashen.aiwsites.com/imd110/index.html) was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://melindabashen.com/imd215/reply.html"/>	
Encoding :	iso-8859-1	<input type="text" value="(detect automatically)"/>
Doctype :	XHTML 1.0 Strict	<input type="text" value="(detect automatically)"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

Show Source

Show Outline

List Messages Sequentially Group Error Messages by Type

Validate error pages

Verbose Output

Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at [<http://mbashen.aiwsites.com/imd110/index.html>](http://mbashen.aiwsites.com/imd110/index.html) was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page,

you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fmbashen.aiwsites.com%2Fimd110%2Findex.html> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Validation Output](#)

Errors found while checking this document as XHTML 1.0 Strict!

Result:	122 Errors, 147 warning(s)		
Address:	<input type="text" value="http://melindabashen.com/imd215/credits.html"/>		
Encoding:	iso-8859-1	(detect automatically)	
Doctype:	XHTML 1.0 Strict	(detect automatically)	
Root Element:	html		
Root Namespace:	http://www.w3.org/1999/xhtml		



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source
 Show Outline
 List Messages Sequentially
 Group Error Messages by Type
- Validate error pages
 Verbose Output
 Clean up Markup with HTML Tidy

[Help](#) on the options is available.

Revalidate

↑ TOP

Validation Output: 122 Errors

Line 40, Column 11: element "center" undefined

```
<center ><h2><ins>Cited</ins></h2></center>
```

You have used the element named above in your document, but the document type you are using does not define an element of that name. This error is often caused by:

- incorrect use of the "Strict" document type with a document that uses frames (e.g. you must use the "Frameset" document type to get the "<frameset>" element),
- by using vendor proprietary extensions such as "<spacer>" or "<marquee>" (this is usually fixed by using CSS to achieve the desired effect instead).
- by using upper-case tags in XHTML (in XHTML attributes and elements must be all lower-case).

Line 73, Column 7: document type does not allow element "td" here; assuming missing "tr"

start-tag

<td></...

✘ Line 88, Column 7: document type does not allow element "td" here; assuming missing "tr"

start-tag

<td></td>


✘ Line 108, Column 7: document type does not allow element "td" here; assuming missing "tr"


start-tag

<td><...

✘ Line 113, Column 7: document type does not allow element "td" here; assuming missing "tr"

start-tag

<td>>>>>>>...` 

 **Line 148, Column 7: document type does not allow element "td" here; assuming missing "tr" start-tag**

`<td>>><img src="images/rouge.jpg" alt="Exterior Of Moulin Rouge,Paris" width="...
```

 **Line 206, Column 61: cannot generate system identifier for general entity "submit"** 


```
...iclipart.com/download.php?iid=196193&submit=&keys=paris¬keys=&start=50&and...
```

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.



If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 61: general entity "submit" not defined and no default entity** 



```
...iclipart.com/download.php?iid=196193&submit=&keys=paris¬keys=&start=50&and...
```

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 67: reference not terminated by REFC delimiter** 


```
...art.com/download.php?iid=196193&submit = &keys=paris¬keys=&start=50&andor=AND...
```

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 67: reference to external entity in attribute value** 

```
...art.com/download.php?iid=196193&submit = &keys=paris¬keys=&start=50&andor=AND...
```


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 206, Column 67: reference to entity "submit" for which no system identifier could be generated**




...art.com/download.php?iid=196193&submit = &keys=paris&notkeys=&start=50&andor=AND...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 60: entity was defined here**

...w.iclipart.com/download.php?iid=196193 & submit=&keys=paris&notkeys=&start=50&an...

 **Line 206, Column 69: cannot generate system identifier for general entity "keys"**



...t.com/download.php?iid=196193&submit=& k eys=paris&notkeys=&start=50&andor=AND&c...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 69: general entity "keys" not defined and no default entity**



...t.com/download.php?iid=196193&submit=& k eys=paris&notkeys=&start=50&andor=AND&c...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 73: reference not terminated by REFC delimiter**



...m/download.php?iid=196193&submit=&keys = paris&notkeys=&start=50&andor=AND&c1=CO...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.


 **Line 206, Column 73: reference to external entity in attribute value**



...m/download.php?iid=196193&submit=&keys = paris&notkeys=&start=50&andor=AND&c1=CO...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 206, Column 73: reference to entity "keys" for which no system identifier could be generated**

...m/download.php?iid=196193&submit=&keys = paris&notkeys=&start=50&andor=AND&c1=CO... 

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 68:** entity was defined here

...rt.com/download.php?iid=196193&submit= & keys=paris&notkeys=&start=50&andor=AND&...

 **Line 206, Column 80: cannot generate system identifier for general entity "notkeys"** 

...oad.php?iid=196193&submit=&keys=paris& n otkeys=&start=50&andor=AND&c1=COLOR&c2=...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&#" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.



If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 80: general entity "notkeys" not defined and no default entity** 


...oad.php?iid=196193&submit=&keys=paris& n otkeys=&start=50&andor=AND&c1=COLOR&c2=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 87: reference not terminated by REFC delimiter** 

...?iid=196193&submit=&keys=paris&notkeys = &start=50&andor=AND&c1=COLOR&c2=BANDW&s...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 87: reference to external entity in attribute value** 

...?iid=196193&submit=&keys=paris&notkeys = &start=50&andor=AND&c1=COLOR&c2=BANDW&s...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.


 **Line 206, Column 87: reference to entity "notkeys" for which no system identifier could be generated**

...?iid=196193&submit=&keys=paris&notkeys = &start=50&andor=AND&c1=COLOR&c2=BANDW&s...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 79: entity was defined here**

...load.php?iid=196193&submit=&keys=paris & notkeys=&start=50&andor=AND&c1=COLOR&c2=...

 **Line 206, Column 89: cannot generate system identifier for general entity "start"**



...id=196193&submit=&keys=paris&notkeys=& s tart=50&andor=AND&c1=COLOR&c2=BANDW&s1=...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&#amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.


Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 89: general entity "start" not defined and no default entity**



...id=196193&submit=&keys=paris&notkeys=& s tart=50&andor=AND&c1=COLOR&c2=BANDW&s1=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 94: reference not terminated by REFC delimiter**



...6193&submit=&keys=paris&notkeys=&start = 50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 94: reference to external entity in attribute value**



...6193&submit=&keys=paris&notkeys=&start = 50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&#amp;#38;#39;'.  
&#38;#39;





 **Line 206, Column 94: reference to entity "start" for which no system identifier could be generated** 

...6193&submit=&keys=paris&notkeys=&start = 50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 88: entity was defined here**

...iid=196193&submit=&keys=paris&notkeys= & start=50&andor=AND&c1=COLOR&c2=BANDW&s1...

 **Line 206, Column 98: cannot generate system identifier for general entity "andor"** 

...&submit=&keys=paris&notkeys=&start=50& a ndor=AND&c1=COLOR&c2=BANDW&s1=&s2=&rele...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.



If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 98: general entity "andor" not defined and no default entity** 



...&submit=&keys=paris&notkeys=&start=50& a ndor=AND&c1=COLOR&c2=BANDW&s1=&s2=&rele...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 103: reference not terminated by REFC delimiter** 

...it=&keys=paris&notkeys=&start=50&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 103: reference to external entity in attribute value** 

...it=&keys=paris&notkeys=&start=50&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 206, Column 103: reference to entity "andor" for which no system identifier could be**

**generated**

...it=&keys=paris&notkeys=&start=50&andor= AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 97: entity was defined here**

...3&submit=&keys=paris&notkeys=&start=50  andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&rel...

**Line 206, Column 108: cannot generate system identifier for general entity "c1"**

...eys=paris&notkeys=&start=50&andor=AND& c1=COLOR&c2=BANDW&s1=&s2=&release1=&rele...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 108: general entity "c1" not defined and no default entity**

...eys=paris&notkeys=&start=50&andor=AND& c1=COLOR&c2=BANDW&s1=&s2=&release1=&rele...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 110: reference not terminated by REFC delimiter**

...s=paris&notkeys=&start=50&andor=AND&c1= COLOR&c2=BANDW&s1=&s2=&release1=&releas...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 110: reference to external entity in attribute value**

...s=paris&notkeys=&start=50&andor=AND&c1= COLOR&c2=BANDW&s1=&s2=&release1=&releas...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 206, Column 110: reference to entity "c1" for which no system identifier could be generated**

...s=paris&notkeys=&start=50&andor=AND&c1= COLOR&c2=BANDW&s1=&s2=&release1=&releas...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 107: entity was defined here**

...keys=paris&notkeys=&start=50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&rel...

 **Line 206, Column 117: cannot generate system identifier for general entity "c2"**



...&notkeys=&start=50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&release2=&pre...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.


Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 117: general entity "c2" not defined and no default entity**



...&notkeys=&start=50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&release2=&pre...


This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 119: reference not terminated by REFC delimiter**



...otkeys=&start=50&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 119: reference to external entity in attribute value**



...otkeys=&start=50&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 206, Column 119: reference to entity "c2" for which no system identifier could be generated** 

...otkeys=&start=50&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 116: entity was defined here**

...s&notkeys=&start=50&andor=AND&c1=COLOR &c2=BANDW&s1=&s2=&release1=&release2=&pr...

 **Line 206, Column 126: cannot generate system identifier for general entity "s1"** 

...&start=50&andor=AND&c1=COLOR&c2=BANDW& s1=&s2=&release1=&release2=&previewcheck...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.



If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 126: general entity "s1" not defined and no default entity** 



...&start=50&andor=AND&c1=COLOR&c2=BANDW& s1=&s2=&release1=&release2=&previewcheck...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 128: reference not terminated by REFC delimiter** 

...tart=50&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

If you meant to include an entity that starts with "&", then you should terminate it with "&";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 128: reference to external entity in attribute value** 

...tart=50&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 206, Column 128: reference to entity "s1" for which no system identifier could be generated** 

...tart=50&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 125: entity was defined here**

...=&start=50&andor=AND&c1=COLOR&c2=BANDW & s1=&s2=&release1=&release2=&previewchec...

 **Line 206, Column 130: cannot generate system identifier for general entity "s2"** 



...rt=50&andor=AND&c1=COLOR&c2=BANDW&s1=& s 2=&release1=&release2=&previewcheck=&ca...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.



If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 130: general entity "s2" not defined and no default entity** 



...rt=50&andor=AND&c1=COLOR&c2=BANDW&s1=& s 2=&release1=&release2=&previewcheck=&ca...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 132: reference not terminated by REFC delimiter** 

...=50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

If you meant to include an entity that starts with "&", then you should terminate it with "&";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 132: reference to external entity in attribute value** 

...=50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✘ Line 206, Column 132: reference to entity "s2" for which no system identifier could be generated** 

...=50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**◆ Line 206, Column 129: entity was defined here**

...art=50&andor=AND&c1=COLOR&c2=BANDW&s1= & s2=&release1=&release2=&previewcheck=&c...

**⚠ Line 206, Column 134: cannot generate system identifier for general entity "release1"** 


...0&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=& r elease1=&release2=&previewcheck=&cat=Al...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.


If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**✘ Line 206, Column 134: general entity "release1" not defined and no default entity** 


...0&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=& r elease1=&release2=&previewcheck=&cat=Al...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**⚠ Line 206, Column 142: reference not terminated by REFC delimiter** 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1 = &release2=&previewcheck=&cat=All&type=R...

If you meant to include an entity that starts with "&", then you should terminate it with "&";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 206, Column 142: reference to external entity in attribute value** 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1 = &release2=&previewcheck=&cat=All&type=R...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✘ Line 206, Column 142: reference to entity "release1" for which no system identifier could be**

**generated**



...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1 = &release2=&previewcheck=&cat=All&type=R...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 133: entity was defined here**

...50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2= &release1=&release2=&previewcheck=&cat=A...

**Line 206, Column 144: cannot generate system identifier for general entity "release2"**



...D&c1=COLOR&c2=BANDW&s1=&s2=&release1=& r elease2=&previewcheck=&cat=All&type=REG...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 144: general entity "release2" not defined and no default entity**



...D&c1=COLOR&c2=BANDW&s1=&s2=&release1=& r elease2=&previewcheck=&cat=All&type=REG...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 152: reference not terminated by REFC delimiter**



...OR&c2=BANDW&s1=&s2=&release1=&release2 = &previewcheck=&cat=All&type=REGULAR&row...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 152: reference to external entity in attribute value**



...OR&c2=BANDW&s1=&s2=&release1=&release2 = &previewcheck=&cat=All&type=REGULAR&row...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 206, Column 152: reference to entity "release2" for which no system identifier could be**

**generated**

...OR&c2=BANDW&s1=&s2=&release1=&release2==&previewcheck=&cat=All&type=REGULAR&row...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 143: entity was defined here**

...ND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=RE...

**Line 206, Column 154: cannot generate system identifier for general entity "previewcheck"**

...&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 154: general entity "previewcheck" not defined and no default entity**

...&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 166: reference not terminated by REFC delimiter**

...=&s2=&release1=&release2=&previewcheck==&cat=All&type=REGULAR&rows=5&jump=0&per...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 166: reference to external entity in attribute value**

...=&s2=&release1=&release2=&previewcheck==&cat=All&type=REGULAR&rows=5&jump=0&per...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 206, Column 166: reference to entity "previewcheck" for which no system identifier could be**



**generated**

...=&s2=&release1=&release2=&previewcheck= &cat=All&type=REGULAR&rows=5&jump=0&per...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 153: entity was defined here**

...R&c2=BANDW&s1=&s2=&release1=&release2= &previewcheck=&cat=All&type=REGULAR&rows...

**Line 206, Column 168: cannot generate system identifier for general entity "cat"**

...s2=&release1=&release2=&previewcheck= &c at=All&type=REGULAR&rows=5&jump=0&perio...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 168: general entity "cat" not defined and no default entity**

...s2=&release1=&release2=&previewcheck= &c at=All&type=REGULAR&rows=5&jump=0&perio...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 171: reference not terminated by REFC delimiter**

...&release1=&release2=&previewcheck= &cat = All&type=REGULAR&rows=5&jump=0&period=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 171: reference to external entity in attribute value**

...&release1=&release2=&previewcheck= &cat = All&type=REGULAR&rows=5&jump=0&period=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;';.

**Line 206, Column 171: reference to entity "cat" for which no system identifier could be generated**

...&release1=&release2=&previewcheck= &cat = All&type=REGULAR&rows=5&jump=0&period=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 167: entity was defined here**

...&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=5&jump=0&peri...

 **Line 206, Column 176: cannot generate system identifier for general entity "type"**



...ase1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=5&jump=0&period=&colle...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&"; (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.


Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 176: general entity "type" not defined and no default entity**



...ase1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=5&jump=0&period=&colle...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 180: reference not terminated by REFC delimiter**



...=&release2=&previewcheck=&cat=All&type==REGULAR&rows=5&jump=0&period=&collectio...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 180: reference to external entity in attribute value**



...=&release2=&previewcheck=&cat=All&type==REGULAR&rows=5&jump=0&period=&collectio...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✘ Line 206, Column 180: reference to entity "type" for which no system identifier could be generated** 

...=&release2=&previewcheck=&cat=All&type =REGULAR&rows=5&jump=0&period=&collectio...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**◆ Line 206, Column 175: entity was defined here**

...easel=&release2=&previewcheck=&cat=All & type=REGULAR&rows=5&jump=0&period=&coll...

**⚠ Line 206, Column 189: cannot generate system identifier for general entity "rows"** 

...2=&previewcheck=&cat=All&type=REGULAR& r ows=5&jump=0&period=&collection=&group=...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.


If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**✘ Line 206, Column 189: general entity "rows" not defined and no default entity** 


...2=&previewcheck=&cat=All&type=REGULAR& r ows=5&jump=0&period=&collection=&group=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**⚠ Line 206, Column 193: reference not terminated by REFC delimiter** 

...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

If you meant to include an entity that starts with "&", then you should terminate it with "&";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 206, Column 193: reference to external entity in attribute value** 

...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 206, Column 193: reference to entity "rows" for which no system identifier could be generated**

...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**◆ Line 206, Column 188: entity was defined here**

...e2=&previewcheck=&cat=All&type=REGULAR & rows=5&jump=0&period=&collection=&group...

**⚠ Line 206, Column 196: cannot generate system identifier for general entity "jump"**

...iewcheck=&cat=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&ttl=pho...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**✖ Line 206, Column 196: general entity "jump" not defined and no default entity**

...iewcheck=&cat=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&ttl=pho...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**⚠ Line 206, Column 200: reference not terminated by REFC delimiter**

...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&ttl=photos&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 206, Column 200: reference to external entity in attribute value**

...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&ttl=photos&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 206, Column 200: reference to entity "jump" for which no system identifier could be**

**generated**

...heck=&cat=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 195: entity was defined here**

...viewcheck=&cat=All&type=REGULAR&rows=5& & jump=0&period=&collection=&group=&tl=ph...

**Line 206, Column 203: cannot generate system identifier for general entity "period"**

...k=&cat=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 203: general entity "period" not defined and no default entity**

...k=&cat=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 209: reference not terminated by REFC delimiter**

...=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 209: reference to external entity in attribute value**

...=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;';.

**Line 206, Column 209: reference to entity "period" for which no system identifier could be**

**generated**

...=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 202: entity was defined here**

...ck=&cat=All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&ad...

**Line 206, Column 211: cannot generate system identifier for general entity "collection"**

...ll&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;/h...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 211: general entity "collection" not defined and no default entity**

...ll&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;/h...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 221: reference not terminated by REFC delimiter**

...GULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;/http://www....

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 221: reference to external entity in attribute value**

...GULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;/http://www....

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 206, Column 221: reference to entity "collection" for which no system identifier could be**

**generated**

...GULAR&rows=5&jump=0&period=&collection= &group=&tl=photos&adv=">&lt;http://www...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 210: entity was defined here**

...All&type=REGULAR&rows=5&jump=0&period= &collection=&group=&tl=photos&adv=">&lt;...

**Line 206, Column 223: cannot generate system identifier for general entity "group"**

...LAR&rows=5&jump=0&period=&collection= grou p=&tl=photos&adv=">&lt;http://www.ic...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 223: general entity "group" not defined and no default entity**

...LAR&rows=5&jump=0&period=&collection= grou p=&tl=photos&adv=">&lt;http://www.ic...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 228: reference not terminated by REFC delimiter**

...ows=5&jump=0&period=&collection=&group=  =&tl=photos&adv=">&lt;http://www.iclipar...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 228: reference to external entity in attribute value**

...ows=5&jump=0&period=&collection=&group=  =&tl=photos&adv=">&lt;http://www.iclipar...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 206, Column 228: reference to entity "group" for which no system identifier could be**

**generated**

...ows=5&jump=0&period=&collection=&group= &tl=photos&adv=">&lt;http://www.iclipar...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 222: entity was defined here**

...ULAR&rows=5&jump=0&period=&collection= &group=&tl=photos&adv=">&lt;http://www.i...

**Line 206, Column 230: cannot generate system identifier for general entity "tl"**

...s=5&jump=0&period=&collection=&group= &tl=photos&adv=">&lt;http://www.iclipart...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

**Line 206, Column 230: general entity "tl" not defined and no default entity**

...s=5&jump=0&period=&collection=&group= &tl=photos&adv=">&lt;http://www.iclipart...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 232: reference not terminated by REFC delimiter**

...5&jump=0&period=&collection=&group=&tl= photos&adv=">&lt;http://www.iclipart.co...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 206, Column 232: reference to external entity in attribute value**

...5&jump=0&period=&collection=&group=&tl= photos&adv=">&lt;http://www.iclipart.co...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 206, Column 232: reference to entity "tl" for which no system identifier could be generated**

...5&jump=0&period=&collection=&group=&tl= photos&adv=">&lt;http://www.iclipart.co...



This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 229: entity was defined here**

...ws=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;http://www.iclipart...

 **Line 206, Column 240: cannot generate system identifier for general entity "adv"**



...&period=&collection=&group=&tl=photos&adv=">&lt;http://www.iclipart.com/&gt;.<...

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&amp;" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and &aelig; are different characters.

If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.


Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 206, Column 240: general entity "adv" not defined and no default entity**



...&period=&collection=&group=&tl=photos&adv=">&lt;http://www.iclipart.com/&gt;.<...


This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 243: reference not terminated by REFC delimiter**



...riod=&collection=&group=&tl=photos&adv==">&lt;http://www.iclipart.com/&gt;.</a>...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 206, Column 243: reference to external entity in attribute value**



...riod=&collection=&group=&tl=photos&adv==">&lt;http://www.iclipart.com/&gt;.</a>...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.


**✘ Line 206, Column 243: reference to entity "adv" for which no system identifier could be generated** 

...riod=&collection=&group=&tl=photos&adv = ">&lt;http://www.iclipart.com/&gt; .</a>...


This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**📍 Line 206, Column 239: entity was defined here**

...0&period=&collection=&group=&tl=photos &adv=">&lt;http://www.iclipart.com/&gt; ; ...


**✘ Line 208, Column 7: document type does not allow element "td" here; assuming missing "tr" start-tag** 

<td ><img src="images/et.jpg" alt="Eiffel Tower,Paris,France" width="50" heig...

**⚠ Line 211, Column 67: reference not terminated by REFC delimiter** 


...art.com/download.php?iid=196177&submit = &keys=paris&notkeys=&start=75&andor=AND...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 211, Column 67: reference to external entity in attribute value** 

...art.com/download.php?iid=196177&submit = &keys=paris&notkeys=&start=75&andor=AND...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.


**✘ Line 211, Column 67: reference to entity "submit" for which no system identifier could be generated** 

...art.com/download.php?iid=196177&submit = &keys=paris&notkeys=&start=75&andor=AND...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.


**📍 Line 206, Column 60: entity was defined here**

...w.iclipart.com/download.php?iid=196193 & submit=&keys=paris&notkeys=&start=50&an...

**⚠ Line 211, Column 73: reference not terminated by REFC delimiter** 

...m/download.php?iid=196177&submit=&keys = paris&notkeys=&start=75&andor=AND&c1=CO...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 73: reference to external entity in attribute value** 


...m/download.php?iid=196177&submit=&keys = paris&notkeys=&start=75&andor=AND&c1=CO...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 73: reference to entity "keys" for which no system identifier could be generated** 

...m/download.php?iid=196177&submit=&keys = paris&notkeys=&start=75&andor=AND&c1=CO...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.



 **Line 206, Column 68: entity was defined here**

...rt.com/download.php?iid=196193&submit= & keys=paris&notkeys=&start=50&andor=AND&...

 **Line 211, Column 87: reference not terminated by REFC delimiter** 

...?iid=196177&submit=&keys=paris&notkeys = &start=75&andor=AND&c1=COLOR&c2=BANDW&s...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 87: reference to external entity in attribute value** 


...?iid=196177&submit=&keys=paris&notkeys = &start=75&andor=AND&c1=COLOR&c2=BANDW&s...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 87: reference to entity "notkeys" for which no system identifier could be generated** 

...?iid=196177&submit=&keys=paris&notkeys = &start=75&andor=AND&c1=COLOR&c2=BANDW&s...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 79: entity was defined here**


...load.php?iid=196193&submit=&keys=paris & notkeys=&start=50&andor=AND&c1=COLOR&c2...

 **Line 211, Column 94: reference not terminated by REFC delimiter**



...6177&submit=&keys=paris&notkeys=&start = 75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 94: reference to external entity in attribute value**



...6177&submit=&keys=paris&notkeys=&start = 75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 94: reference to entity "start" for which no system identifier could be generated**




...6177&submit=&keys=paris&notkeys=&start = 75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 88: entity was defined here**


...iid=196193&submit=&keys=paris&notkeys= & start=50&andor=AND&c1=COLOR&c2=BANDW&s1=...

 **Line 211, Column 103: reference not terminated by REFC delimiter**



...it=&keys=paris&notkeys=&start=75&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 103: reference to external entity in attribute value**



...it=&keys=paris&notkeys=&start=75&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 103: reference to entity "andor" for which no system identifier could be generated**




...it=&keys=paris&notkeys=&start=75&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 97: entity was defined here**

...3&submit=&keys=paris&notkeys=&start=50 &\_andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&rel...

 **Line 211, Column 110: reference not terminated by REFC delimiter**



...s=paris&notkeys=&start=75&andor=AND&c1 = COLOR&c2=BANDW&s1=&s2=&release1=&releas...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 110: reference to external entity in attribute value**



...s=paris&notkeys=&start=75&andor=AND&c1 = COLOR&c2=BANDW&s1=&s2=&release1=&releas...


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 110: reference to entity "c1" for which no system identifier could be generated**




...s=paris&notkeys=&start=75&andor=AND&c1 = COLOR&c2=BANDW&s1=&s2=&release1=&releas...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 107: entity was defined here**

...keys=paris&notkeys=&start=50&andor=AND &\_c1=COLOR&c2=BANDW&s1=&s2=&release1=&rel...

 **Line 211, Column 119: reference not terminated by REFC delimiter**



...otkeys=&start=75&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 119: reference to external entity in attribute value**



...otkeys=&start=75&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 119: reference to entity "c2" for which no system identifier could be generated**



...otkeys=&start=75&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 116:** entity was defined here


...s&notkeys=&start=50&andor=AND&c1=COLOR & c2=BANDW&s1=&s2=&release1=&release2=&pr...

 **Line 211, Column 128: reference not terminated by REFC delimiter**



...tart=75&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 128: reference to external entity in attribute value**



...tart=75&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 128: reference to entity "s1" for which no system identifier could be generated**




...tart=75&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 125:** entity was defined here


...=&start=50&andor=AND&c1=COLOR&c2=BANDW & s1=&s2=&release1=&release2=&previewchec...

 **Line 211, Column 132: reference not terminated by REFC delimiter**



...=75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 132: reference to external entity in attribute value**



...=75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 132: reference to entity "s2" for which no system identifier could be generated**




...=75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.



 **Line 206, Column 129:** entity was defined here

...art=50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&c...

 **Line 211, Column 142:** reference not terminated by REFC delimiter 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&&release2=&previewcheck=&cat=All&type=R...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 142:** reference to external entity in attribute value 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&&release2=&previewcheck=&cat=All&type=R...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.



 **Line 211, Column 142:** reference to entity "release1" for which no system identifier could be generated 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&&release2=&previewcheck=&cat=All&type=R...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.



 **Line 206, Column 133:** entity was defined here

...50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=A...

 **Line 211, Column 152:** reference not terminated by REFC delimiter 

...OR&c2=BANDW&s1=&s2=&release1=&release2=&&previewcheck=&cat=All&type=REGULAR&row...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 152:** reference to external entity in attribute value 

...OR&c2=BANDW&s1=&s2=&release1=&release2=&&previewcheck=&cat=All&type=REGULAR&row...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 152:** reference to entity "release2" for which no system identifier could be generated

...OR&c2=BANDW&s1=&s2=&release1=&release2=&&previewcheck=&cat=All&type=REGULAR&row...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 143: entity was defined here**


...ND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=RE...

 **Line 211, Column 166: reference not terminated by REFC delimiter**



...=&s2=&release1=&release2=&previewcheck =&cat=All&type=REGULAR&rows=5&jump=0&per...


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 166: reference to external entity in attribute value**



...=&s2=&release1=&release2=&previewcheck =&cat=All&type=REGULAR&rows=5&jump=0&per...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 166: reference to entity "previewcheck" for which no system identifier could be generated**




...=&s2=&release1=&release2=&previewcheck =&cat=All&type=REGULAR&rows=5&jump=0&per...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 153: entity was defined here**


...R&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows...

 **Line 211, Column 171: reference not terminated by REFC delimiter**



...&release1=&release2=&previewcheck=&cat =All&type=REGULAR&rows=5&jump=0&period=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 171: reference to external entity in attribute value**



...&release1=&release2=&previewcheck=&cat =All&type=REGULAR&rows=5&jump=0&period=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 171: reference to entity "cat" for which no system identifier could be generated**



...&release1=&release2=&previewcheck=&cat = All&type=REGULAR&rows=5&jump=0&period=&...



This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 167:** entity was defined here

...&s2=&release1=&release2=&previewcheck= & cat=All&type=REGULAR&rows=5&jump=0&peri...

**Line 211, Column 180: reference not terminated by REFC delimiter**



...=&release2=&previewcheck=&cat=All&type = REGULAR&rows=5&jump=0&period=&collectio...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 211, Column 180: reference to external entity in attribute value**



...=&release2=&previewcheck=&cat=All&type = REGULAR&rows=5&jump=0&period=&collectio...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 211, Column 180: reference to entity "type" for which no system identifier could be generated**



...=&release2=&previewcheck=&cat=All&type = REGULAR&rows=5&jump=0&period=&collectio...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 175:** entity was defined here

...easel1=&release2=&previewcheck=&cat=All & type=REGULAR&rows=5&jump=0&period=&coll...

**Line 211, Column 193: reference not terminated by REFC delimiter**



...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 211, Column 193: reference to external entity in attribute value**



...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.


**Line 211, Column 193: reference to entity "rows" for which no system identifier could be generated**

...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 188:** entity was defined here

...e2=&previewcheck=&cat=All&type=REGULAR & rows=5&jump=0&period=&collection=&group=...

 **Line 211, Column 200: reference not terminated by REFC delimiter**

...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&ttl=photos&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 200: reference to external entity in attribute value**

...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&ttl=photos&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 200: reference to entity "jump" for which no system identifier could be generated**

...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&ttl=photos&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.


 **Line 206, Column 195:** entity was defined here

...viewcheck=&cat=All&type=REGULAR&rows=5 & jump=0&period=&collection=&group=&ttl=ph...

 **Line 211, Column 209: reference not terminated by REFC delimiter**

...=All&type=REGULAR&rows=5&jump=0&period = &collection=&group=&ttl=photos&adv=">&lt;...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 209: reference to external entity in attribute value**

...=All&type=REGULAR&rows=5&jump=0&period = &collection=&group=&ttl=photos&adv=">&lt;...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 209: reference to entity "period" for which no system identifier could be**

**generated**



...=All&type=REGULAR&rows=5&jump=0&period==&collection=&group=&tl=photos&adv=">&lt;...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 202:** entity was defined here

...ck=&cat=All&type=REGULAR&rows=5&jump=0 &period=&collection=&group=&tl=photos&ad...

**Line 211, Column 221: reference not terminated by REFC delimiter**



...GULAR&rows=5&jump=0&period=&collection = &group=&tl=photos&adv=">&lt;http://www. ...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 211, Column 221: reference to external entity in attribute value**



...GULAR&rows=5&jump=0&period=&collection = &group=&tl=photos&adv=">&lt;http://www. ...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**Line 211, Column 221: reference to entity "collection" for which no system identifier could be generated**



...GULAR&rows=5&jump=0&period=&collection = &group=&tl=photos&adv=">&lt;http://www. ...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**Line 206, Column 210:** entity was defined here

...All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;...

**Line 211, Column 228: reference not terminated by REFC delimiter**



...ows=5&jump=0&period=&collection=&group = &tl=photos&adv=">&lt;http://www.iclipar...


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**Line 211, Column 228: reference to external entity in attribute value**



...ows=5&jump=0&period=&collection=&group = &tl=photos&adv=">&lt;http://www.iclipar...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 228: reference to entity "group" for which no system identifier could be generated**




...ows=5&jump=0&period=&collection=&group==&tl=photos&adv=">&lt;http://www.iclipar...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 222: entity was defined here**


...ULAR&rows=5&jump=0&period=&collection==&group=&tl=photos&adv=">&lt;http://www.i...

 **Line 211, Column 232: reference not terminated by REFC delimiter**



...5&jump=0&period=&collection=&group=&tl==photos&adv=">&lt;http://www.iclipart.co...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 211, Column 232: reference to external entity in attribute value**



...5&jump=0&period=&collection=&group=&tl==photos&adv=">&lt;http://www.iclipart.co...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 211, Column 232: reference to entity "tl" for which no system identifier could be generated**




...5&jump=0&period=&collection=&group=&tl==photos&adv=">&lt;http://www.iclipart.co...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 229: entity was defined here**

...ws=5&jump=0&period=&collection=&group==&tl=photos&adv=">&lt;http://www.iclipart...

 **Line 211, Column 243: reference not terminated by REFC delimiter**



...riod=&collection=&group=&tl=photos&adv==">&lt;http://www.iclipart.com/&gt;.</a>...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**! Line 211, Column 243: reference to external entity in attribute value**



...riod=&collection=&group=&tl=photos&adv = ">&lt;http://www.iclipart.com/&gt; .</a>...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 211, Column 243: reference to entity "adv" for which no system identifier could be generated**



...riod=&collection=&group=&tl=photos&adv = ">&lt;http://www.iclipart.com/&gt; .</a>...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**ℹ Line 206, Column 239: entity was defined here**

...0&period=&collection=&group=&tl=photos &adv=">&lt;http://www.iclipart.com/&gt; ; ...

**✖ Line 213, Column 7: document type does not allow element "td" here; assuming missing "tr" start-tag**



<td><img src="images/arcparis.jpg" alt="Arc de Triomphe,Paris,France" width=...

**! Line 216, Column 67: reference not terminated by REFC delimiter**



...art.com/download.php?iid=196176&submit = &keys=paris&notkeys=&start=75&andor=AND...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**! Line 216, Column 67: reference to external entity in attribute value**



...art.com/download.php?iid=196176&submit = &keys=paris&notkeys=&start=75&andor=AND...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 216, Column 67: reference to entity "submit" for which no system identifier could be generated**




...art.com/download.php?iid=196176&submit = &keys=paris&notkeys=&start=75&andor=AND...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**ℹ Line 206, Column 60: entity was defined here**


...w.iclipart.com/download.php?iid=196193 &submit=&keys=paris&notkeys=&start=50&an...

 **Line 216, Column 73: reference not terminated by REFC delimiter**



...m/download.php?iid=196176&submit=&keys = paris&notkeys=&start=75&andor=AND&c1=CO...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 73: reference to external entity in attribute value**



...m/download.php?iid=196176&submit=&keys = paris&notkeys=&start=75&andor=AND&c1=CO...


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 73: reference to entity "keys" for which no system identifier could be generated**




...m/download.php?iid=196176&submit=&keys = paris&notkeys=&start=75&andor=AND&c1=CO...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 68: entity was defined here**


...rt.com/download.php?iid=196193&submit= & keys=paris&notkeys=&start=50&andor=AND&...

 **Line 216, Column 87: reference not terminated by REFC delimiter**



...?iid=196176&submit=&keys=paris&notkeys = &start=75&andor=AND&c1=COLOR&c2=BANDW&s...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 87: reference to external entity in attribute value**



...?iid=196176&submit=&keys=paris&notkeys = &start=75&andor=AND&c1=COLOR&c2=BANDW&s...


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 87: reference to entity "notkeys" for which no system identifier could be generated**





...?iid=196176&submit=&keys=paris&notkeys = &start=75&andor=AND&c1=COLOR&c2=BANDW&s...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 79:** entity was defined here

...load.php?iid=196193&submit=&keys=paris &notkeys=&start=50&andor=AND&c1=COLOR&c2=...

 **Line 216, Column 94: reference not terminated by REFC delimiter** 

...6176&submit=&keys=paris&notkeys=&start = 75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 94: reference to external entity in attribute value** 

...6176&submit=&keys=paris&notkeys=&start = 75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.


 **Line 216, Column 94: reference to entity "start" for which no system identifier could be generated** 

...6176&submit=&keys=paris&notkeys=&start = 75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.



 **Line 206, Column 88:** entity was defined here

...iid=196193&submit=&keys=paris&notkeys= &start=50&andor=AND&c1=COLOR&c2=BANDW&s1=...

 **Line 216, Column 103: reference not terminated by REFC delimiter** 

...it=&keys=paris&notkeys=&start=75&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 103: reference to external entity in attribute value** 

...it=&keys=paris&notkeys=&start=75&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.



 **Line 216, Column 103: reference to entity "andor" for which no system identifier could be generated** 

...it=&keys=paris&notkeys=&start=75&andor = AND&c1=COLOR&c2=BANDW&s1=&s2=&release1=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.



 **Line 206, Column 97: entity was defined here**

...3&submit=&keys=paris&notkeys=&start=50 & andor=AND&c1=COLOR&c2=BANDW&s1=&s2=&rel...

 **Line 216, Column 110: reference not terminated by REFC delimiter** 

...s=paris&notkeys=&start=75&andor=AND&c1 = COLOR&c2=BANDW&s1=&s2=&release1=&releas...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 110: reference to external entity in attribute value** 


...s=paris&notkeys=&start=75&andor=AND&c1 = COLOR&c2=BANDW&s1=&s2=&release1=&releas...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.



 **Line 216, Column 110: reference to entity "c1" for which no system identifier could be generated** 

...s=paris&notkeys=&start=75&andor=AND&c1 = COLOR&c2=BANDW&s1=&s2=&release1=&releas...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 107: entity was defined here**


...keys=paris&notkeys=&start=50&andor=AND & c1=COLOR&c2=BANDW&s1=&s2=&release1=&rel...

 **Line 216, Column 119: reference not terminated by REFC delimiter** 

...otkeys=&start=75&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.




 **Line 216, Column 119: reference to external entity in attribute value**



...otkeys=&start=75&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 119: reference to entity "c2" for which no system identifier could be generated**



...otkeys=&start=75&andor=AND&c1=COLOR&c2 = BANDW&s1=&s2=&release1=&release2=&previ...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 116: entity was defined here**


...s&notkeys=&start=50&andor=AND&c1=COLOR & c2=BANDW&s1=&s2=&release1=&release2=&pr...

 **Line 216, Column 128: reference not terminated by REFC delimiter**



...tart=75&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 128: reference to external entity in attribute value**



...tart=75&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 128: reference to entity "s1" for which no system identifier could be generated**



...tart=75&andor=AND&c1=COLOR&c2=BANDW&s1 = &s2=&release1=&release2=&previewcheck=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 125: entity was defined here**



...=&start=50&andor=AND&c1=COLOR&c2=BANDW & s1=&s2=&release1=&release2=&previewchec...

 **Line 216, Column 132: reference not terminated by REFC delimiter**



...=75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 132: reference to external entity in attribute value** 

...=75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.



 **Line 216, Column 132: reference to entity "s2" for which no system identifier could be generated** 

...=75&andor=AND&c1=COLOR&c2=BANDW&s1=&s2 = &release1=&release2=&previewcheck=&cat=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.



 **Line 206, Column 129: entity was defined here**

...art=50&andor=AND&c1=COLOR&c2=BANDW&s1= & s2=&release1=&release2=&previewcheck=&c...

 **Line 216, Column 142: reference not terminated by REFC delimiter** 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1 = &release2=&previewcheck=&cat=All&type=R...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 142: reference to external entity in attribute value** 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1 = &release2=&previewcheck=&cat=All&type=R...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 142: reference to entity "release1" for which no system identifier could be generated** 

...AND&c1=COLOR&c2=BANDW&s1=&s2=&release1 = &release2=&previewcheck=&cat=All&type=R...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 133: entity was defined here**

...50&andor=AND&c1=COLOR&c2=BANDW&s1=&s2= & release1=&release2=&previewcheck=&cat=A...

**⚠ Line 216, Column 152: reference not terminated by REFC delimiter**



...OR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&row...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 216, Column 152: reference to external entity in attribute value**



...OR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&row...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 216, Column 152: reference to entity "release2" for which no system identifier could be generated**



...OR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&row...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**📍 Line 206, Column 143: entity was defined here**

...ND&c1=COLOR&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=RE...

**⚠ Line 216, Column 166: reference not terminated by REFC delimiter**



...=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=5&jump=0&per...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 216, Column 166: reference to external entity in attribute value**



...=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=5&jump=0&per...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 216, Column 166: reference to entity "previewcheck" for which no system identifier could be generated**




...=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=5&jump=0&per...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 153:** entity was defined here


...R&c2=BANDW&s1=&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows...

 **Line 216, Column 171: reference not terminated by REFC delimiter**



...&release1=&release2=&previewcheck=&cat = All&type=REGULAR&rows=5&jump=0&period=&...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 171: reference to external entity in attribute value**



...&release1=&release2=&previewcheck=&cat = All&type=REGULAR&rows=5&jump=0&period=&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 171: reference to entity "cat" for which no system identifier could be generated**




...&release1=&release2=&previewcheck=&cat = All&type=REGULAR&rows=5&jump=0&period=&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 167:** entity was defined here

...&s2=&release1=&release2=&previewcheck=&cat=All&type=REGULAR&rows=5&jump=0&peri...

 **Line 216, Column 180: reference not terminated by REFC delimiter**



...=&release2=&previewcheck=&cat=All&type = REGULAR&rows=5&jump=0&period=&collectio...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 180: reference to external entity in attribute value**



...=&release2=&previewcheck=&cat=All&type = REGULAR&rows=5&jump=0&period=&collectio...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 180: reference to entity "type" for which no system identifier could be generated**



...=&release2=&previewcheck=&cat=All&type = REGULAR&rows=5&jump=0&period=&collectio...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 175:** entity was defined here


...easel=&release2=&previewcheck=&cat=All & type=REGULAR&rows=5&jump=0&period=&coll...

 **Line 216, Column 193: reference not terminated by REFC delimiter**



...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 193: reference to external entity in attribute value**



...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 193: reference to entity "rows" for which no system identifier could be generated**



...reviewcheck=&cat=All&type=REGULAR&rows = 5&jump=0&period=&collection=&group=&ttl=...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 188:** entity was defined here


...e2=&previewcheck=&cat=All&type=REGULAR & rows=5&jump=0&period=&collection=&group...

 **Line 216, Column 200: reference not terminated by REFC delimiter**



...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&ttl=photos&...


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 200: reference to external entity in attribute value**



...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&ttl=photos&...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 200: reference to entity "jump" for which no system identifier could be generated**




...heck=&cat=All&type=REGULAR&rows=5&jump = 0&period=&collection=&group=&tl=photos&...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 195: entity was defined here**


...viewcheck=&cat=All&type=REGULAR&rows=5 & jump=0&period=&collection=&group=&tl=ph...

 **Line 216, Column 209: reference not terminated by REFC delimiter**



...=All&type=REGULAR&rows=5&jump=0&period = &collection=&group=&tl=photos&adv=">&lt;...


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 209: reference to external entity in attribute value**



...=All&type=REGULAR&rows=5&jump=0&period = &collection=&group=&tl=photos&adv=">&lt;...


This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 209: reference to entity "period" for which no system identifier could be generated**




...=All&type=REGULAR&rows=5&jump=0&period = &collection=&group=&tl=photos&adv=">&lt;...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 202: entity was defined here**


...ck=&cat=All&type=REGULAR&rows=5&jump=0 & period=&collection=&group=&tl=photos&ad...

 **Line 216, Column 221: reference not terminated by REFC delimiter**



...GULAR&rows=5&jump=0&period=&collection = &group=&tl=photos&adv=">&lt;;http://www. ...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 221: reference to external entity in attribute value**

...GULAR&rows=5&jump=0&period=&collection = &group=&tl=photos&adv=">&lt;;http://www. ...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 221: reference to entity "collection" for which no system identifier could be generated**




...GULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;http://www....

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 210: entity was defined here**


...All&type=REGULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;...

 **Line 216, Column 228: reference not terminated by REFC delimiter**



...ows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;http://www.iclipar...


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 216, Column 228: reference to external entity in attribute value**



...ows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;http://www.iclipar...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

 **Line 216, Column 228: reference to entity "group" for which no system identifier could be generated**




...ows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;http://www.iclipar...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 206, Column 222: entity was defined here**

...ULAR&rows=5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;http://www.i...

 **Line 216, Column 232: reference not terminated by REFC delimiter**



...5&jump=0&period=&collection=&group=&tl=photos&adv=">&lt;http://www.iclipart.co...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 216, Column 232: reference to external entity in attribute value**

...5&jump=0&period=&collection=&group=&tl = photos&adv=">&lt;http://www.iclipart.co...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 216, Column 232: reference to entity "tl" for which no system identifier could be generated**

...5&jump=0&period=&collection=&group=&tl = photos&adv=">&lt;http://www.iclipart.co...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

**📍 Line 206, Column 229: entity was defined here**

...ws=5&jump=0&period=&collection=&group= &tl=photos&adv=">&lt;http://www.iclipart...

**⚠ Line 216, Column 243: reference not terminated by REFC delimiter**

...riod=&collection=&group=&tl=photos&adv = ">&lt;http://www.iclipart.com/&gt; .</a>...

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

**⚠ Line 216, Column 243: reference to external entity in attribute value**

...riod=&collection=&group=&tl=photos&adv = ">&lt;http://www.iclipart.com/&gt; .</a>...

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&amp;'.

**✖ Line 216, Column 243: reference to entity "adv" for which no system identifier could be generated**

...riod=&collection=&group=&tl=photos&adv = ">&lt;http://www.iclipart.com/&gt; .</a>...

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.



**📍 Line 206, Column 239: entity was defined here**

...0&period=&collection=&group=&tl=photos &adv=">&lt;http://www.iclipart.com/&gt; ; ...

**✖ Line 218, Column 7: document type does not allow element "td" here; assuming missing "tr" start-tag**

<td ><img src="images/q.png" alt="Paris France Trivia" width="50" height="60"...



 **Line 223, Column 7: document type does not allow element "td" here; assuming missing "tr" start-tag** 

`<td>></td>`

 **Line 77, Column 8: Opening and ending tag mismatch: table line 42 and tr** 

`</tr>>`

 **Line 82, Column 8: Opening and ending tag mismatch: div line 36 and tr** 

`</tr>>`

 **Line 87, Column 8: Opening and ending tag mismatch: div line 20 and tr** 

`</tr>>`

 **Line 92, Column 8: Opening and ending tag mismatch: body line 17 and tr** 

`</tr>>`

 **Line 97, Column 8: Opening and ending tag mismatch: html line 2 and tr** 

`</tr>>`

 **Line 98, Column 3: Extra content at the end of the document** 

          <td><img src="images/victoire.jpg" alt="La Victoire Supreme du Coeur Restaur...

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.6](#).  
COPYRIGHT © 1994-2010 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

